




Sustainable Solutions In Renewable Energy

www.Mavrik-Solutions.com



MEGA- MAVRİK MAT



 (832) 537-2777

 Andy@Mavrik-Solutions.com

 www.Mavrik-Solutions.com



NEVER HAVE TO CLEAN UP, DISPOSE OF, AND REPURCHASE MORE MATS.. EVER AGAIN

THE MEGA DIFFERENCE

- 71% More Mats Per Truck Than 3-PLY CLT
- 50% More Mats Per Truck Than DuraBase
- 20 Year Lifespan
- Faster Install and Removal
- No More Clean Up Costs
- Recurring Freight Savings
- More Permanent Asset
- Hedge Against Inflation



TECHNICAL SPECIFICATIONS

- UHWMPE
- 6'7" x 13'2" X 1.91"
- 150 Ton Load Capacity For Recycled (Black)
- 200 Ton Load Capacity For Virgin (Beige)





SOLID OAK CRANE MATS

- **100% Solid Oak, None Of The Softer “Mixed Hardwoods”**
- **Oak Being Far More Dense Than The Softer Hardwoods Decomposes At A Much Slower Rate**
- **Stored Sheltered Out Of The Elements**
- **All Bolts Tightened Before Shipment For Optimized Weight Load Dispersion.**
- **All Ends Sealed Before Shipment With EPA Certified Wood Preservative To Prevent Absorption of Water And Microbes.**
- **Superior Construction To Match The Quality Of The Oak Timbers Themselves**





MAVRİK MAT



THE MOST VERSATILE MAT ON THE FACE OF THE PLANET

HARDCORE SAVINGS

- Zero Equipment Needed
- Rapid Installation
- Small Storage Footprint
- Lasts For Years
- Lightly Used Available For \$195

TECH SPECS

- High Density Polyethylene (HDPE)
- 4'x8'x.5" + 1/3" Tread
- 81 lbs
- 90 Ton Load Capacity



Rugged

Withstands up to 90 tons




Traction

Maximum grip for equipment & Crewman



Flexible

Bends but won't break



Model Size

4'x8'x.5"

1.22m x 2.4m x 13cm

Total Thickness:

.5" mat + .375" cleat

Weight

85 lbs

Color

Black or Beige

Material

High-Density Polyethylene (HDPE) with special impact modifiers that incorporate UV resistance and anti-static properties

Weight Loading

200 PSI, depending on subsurface conditions

Flammability Resistance

UL94HB

Connections

Mats connect using 2-way or 4-way metal connectors (no tools required) or bolts


Shipping Info

U.S. Standard 48ft flatbed truck: 550 mats



CAN LINER

NEVER HAVE TO BUY PLYWOOD AGAIN.



VS

CAN LINER			PLYWOOD
Minimum Lifespan:	10 Years	✓	4 Months
** Retail Price Per Sheet:	\$35	✓	\$10.00
1 Year Replacement Costs:	-	✓	\$30.00
5 Year Replacement Costs:	-	✓	\$150.00

CAN LINER ADVANCEMENTS

- 
- 1) 1/4" Thickness
 - 2) 11 lbs
 - 3) Handles For Efficiency
 - 4) 240 Liners Per Pallet (Minimal Freight Cost Nationwide)
 - 5) High Density Polyethylene (HDPE)
 - 6) Permanent asset - Never Have To Buy Plywood Again.

****Volume Discounts Available**



CAN LINER



Cost Effective

Actual Asset



Light Weight

Equivalent Weight to 3/8" OSB Board



Sustainable

100% Recyclable Material



Model Size

1'x8'x1/4"

Weight

21lbs

Color

Beige

Material

High-Density Polyethylene (HDPE) with special impact modifiers that incorporate UV resistance and anti-static properties

Flammability Resistance

UL94HB

Shipping Info

U.S. Standard 48ft flatbed truck:
2100 Sheets

CONTACT US

ANDY HELLER

M: (832) 537-2777

E: ANDY@MAVRIK-SOLUTIONS.COM

WWW.MAVRIK-SOLUTIONS.COM





SOLAR COVERS

35 Mil Thickness For Prolonged Use

"Raincoat" For Faster Installation

• **Gromets For Wind Resistance**

* Hemmed In Elastic Bottom Optional

- Standard Size: 93" x 48" x 44"
- Custom Sizes Available